INT. J. REMOTE SENSING, 1999, VOL. 20, NO. 18, 3683–3702

Index of Authors (with the titles of papers)

ADAMS, M. L., PHILPOT, W. D. and NORWELL, W. A.: Yellowness index: an application of spectral second derivatives to estimate chlorosis of leaves in stressed vegetation, 3663

ADDINK, E. A. and STEIN, A.: A comparison of conventional and geostatistical methods to replace clouded pixels in NOAA-AVHRR images, 961

AGUIAR, A. P. D., SHIMABUKURO, Y. E. and MASCARENHAS, N. D. A.: Use of synthetic bands derived from mixing models in the multispectral classification of remote sensing images, 647

AIKEN, J., *see* Doerffer, R.

AIKEN, J., *see* Moore, G. F.

AJAI, *see* Ray, S. S.

ALBEROTANZA, L., BRANDO, V. E., RAVAGNAN, G. and ZANDONELLA, A.: Hyperspectral aerial images. A valuable tool for submerged vegetation recognition in the Orbetello Lagoons, Italy, 523

ALFARO, R., FERNÁNDEZ, W. and CONNELL, B.: Detection of the forest fires of April 1997 in Guanacaste, Costa Rica, using GOES-8 images, 1189

ALLEE, R. J. and JOHNSON, J. E.: Use of satellite imagery to estimate surface chlorophyll *a* and Secchi disc depth of Bull Shoals Reservoir, Arkansas, USA, 1057

ALMEIDA-FILHO, R., MIRANDA, F. P. and YAMAKAWA, T.: Remote detection of a tonal anomaly in an area of hydrocarbon microseepage, Tucano basin, north-eastern Brazil, 2683

ALPERS, R. R. W., *see* Hennings, I.

ALSDORF, D. E. and SMITH, L. C.: Interferometric SAR observations of ice topography and velocity changes related to the 1996, Gjálp subglacial eruption, Iceland, 3031

ALVES, D. S., PEREIRA, J. L. G., SOUSA, C. L. D., SOARES, J. V. and YAMAGUCHI, F.: Characterizing landscape changes in central Rondônia using Landsat TM imagery, 2877

AMMAN, V., *see* Piepen, H. V. D.

AMMER, U., *see* Schneider, T.

ANAND, J. B., *see* Rao, B. R. M.

ANDERSEN, J. H., *see* Sturm, B.

ANDERSON, J. M., *see* Gu, Y.

ANDERSON, J. M., *see* McManus, J.

ANDERSON, J. M., *see* McManus, J.

ANDERSON, J. M., *see* Roberts, A. C. B.

ANDO, H., *see* Ishida, T.

ANTHIS, A. I. and CRACKNELL, A. P.: Use of satellite images for fog detection (AVHRR) and forecast of fog dissipation (METEOSAT) over lowland Thessalia, Hellas, 1107

ANTOINE, D. and MOREL, A.: A multiple scattering algorithm for atmospheric correction of remotely sensed ocean colour (MERIS instrument): principle and implementation for atmospheres carrying various aerosols including absorbing ones, 1875

ASKNE, J., *see* Dierking, W.

ASMUS, K. W. and GRANT, C.: Surface Based Radiometer (SBR) Data Acquisition System, 3125

ATHANASSIOU, E., *see* Retalis, A.

ATKINSON, P. M. and EMERY, D. R.: Exploring the relation between spatial structure and wavelength: implications for sam pling reflectance in the field, 2663

AUGUSTEIJN, M. F., *see* Warrender, C. E.

AVENA, G. C., *see* Ricotta, C.

AVENA, G. C., *see* Ricotta, C.

Baghdadi, N., Fortin, J.-P. and Bernier, M.: Accuracy of wet snow mapping using simulated Radarsat backscattering coefficients from observed snow cover characteristics, 2049
Bagheri, S., Zetlin, C. and Dios, R.: Estimation of optical properties of nearshore water, 3393
Bakker, W., *see* Yang, H.
Baleynaud, J.-M., *see* Wald, L.
Ballestero, D., *see* Martinez-Diaz-De-Leon, A.
Barale, V., *see* Jaquet, J.-M.
Barale, V., *see* Alfaro, R.
Barale, V., *see* Bricaud, A.
Barale, V., *see* Sturm, B.
Barale, V., Larkin, D., Fusco, L., Melinotte, J. M. and Pittella, G.: OCEAN Project: the European archive of CZCS historical data, 1201
Barale, V.: The OCEAN Project Ocean colour comes of age, 1197
Barber, D. G. and Yackel, J.: The physical, radiative and microwave scattering characteristics of melt ponds on Arctic landfast sea ice, 2069
Barbini, R., Colao, F., Fantoni, R., Palucci, A. and Ribezzo, S.: Shipborne laser remote sensing of the Venice lagoon, 2405
Bardey, P., Garnesson, P., Moussu, G. and Wald, L.: Joint analysis of temperature and ocean colour satellite images for mesoscale activities in the Gulf of Biscay, 1329
Barrett, E. C., *see* Standley, A. P.
Barrot, K. W., *see* Piepen, H. V. D.
Baumgartner, F., *see* Forster, R. R.
Bénié, G. B., *see* Li, W.
Beaudoin, A., *see* Remond, A.
Bézy, J. L., *see* Rast, M.
Belisle, W. R., *see* Laymon, C. A.
Bernier, M., *see* Baghdadi, N.
Bernier, M., *see* Martin, D.
Beszczyńska-Möller, A., *see* Semovski, S. V.
Bhattacharya, S., *see* Dwivedi, R. S.
Bhattacharya, S. N., *see* Rao, B. R. M.
Bingham, A. W. and Rees, W. G.: Construction of a high-resolution DEM of an Arctic ice cap using shape-from-shading, 3231
Blackburn, G. A. and Pitman, J. I.: Biophysical controls on the directional spectral reflectance properties of bracken (*Pteridium aquilinum*) *canopies: results of a field experiment*, 2265
Blanca, N. P. D. L., *see* Cortijo, F. J.
Bliven, L. F., *see* Sobieski, P. W.
Bochert, A.: Airborne line scanner measurements for ERS-1 SAR interpretation of sea ice, 329
Bochert, A., *see* Debinski, D. M.
Bolduc, P., Lowell, K. and Edwards, G.: Automated estimation of localized forest volume from large-scale aerial photopgraphs and ancillary cartographic information in a boreal forest, 3611
Boles, S. H. and Verbyla, D. L.: Effect of scan angle on AVHRR fire detection accuracy in interior Alaska, 3437
Bolzan, J., *see* Forster, R. R.
Borak, J. S. and Strahler, A. H.: Feature selection and land cover classification of a MODIS-like data set for a semiarid environment, 919
Boresjö Bronge, L. and Bronge, C.: Ice and snow-type classification in the Vestfold Hills, East Antarctica, using Landsat-TM data and ground radiometer measurements, 225
Bork, E. W., West, N. E. and Price, K. P.: Calibration of broad- and narrow-band spectral variables for rangeland cover compon ent quantification, 3641
Borstad, G. A., *see* Gower, J. F. R.

Boyce, J., *see* Clark, C.
Boyd, D. S., *see* Foody, G. M.
Boyd, D. S., Foody, G. M. and Curran, P. J.: The relationship between the biomass of Cameroonian tropical forests and radiation reflected in middle infrared wavelengths (3.0–5.0 μm), 1017
Brakke, T. W., *see* Otterman, J.
Brando, V. E., *see* Alberotanza, L.
Bricaud, A., Morel, A. and Barale, V.: MERIS potential for ocean colour studies in the open ocean, 1757
Brock, B. W., *see* Knap, W. H.
Bronge, C., *see* Boresjö Bronge, L.
Brossard, T., *see* Nilsen, L.
Brossard, T., *see* Nilsen, L.
Brown, C. W., *see* Keiner, L. E.
Brown, I. A., Kirkbride, M. P. and Vaughan, R. A.: Find the firn line! The suitability of ERS-1 and ERS-2 SAR data for the analysis of glacier facies on Icelandic icecaps, 3217
Bruzzi, S., *see* Rast, M.
Buckton, D., O'Mongain, E. and Danaher, S.: The use of Neural Networks for the estimation of oceanic constituents based on the MERIS instrument, 1841
Budéus, G., *see* Schneider, W.
Buhk, R., *see* Schneider, T.
Burenkov, V. I., *see* Vasilkov, A. P.

Cadeddu, M., *see* Otterman, J.
Carlotto, M. J., *see* King, D. J.
Carlotto, M. J.: Reducing the effects of space-varying, wavelength-dependent scattering in multispectral imagery, 3333
Carrere, V., *see* Santer, R.
Carsey, F., *see* Li, S.
Cartalis, C., *see* Retalis, A.
Casacchia, R., Mazzarini, F., Salvatori, R. and Salvini, F.: Rock-type discrimination by field, TM and SPOT data, Tarn Flat, Antarctica, 403
Castro, S. L., *see* Donlon, C. J.
Chang, Y-J., *see* Lin, W-S.
Chapman, G. E., *see* Edirisinghe, A.
Charbonneau, R., *see* Martin, D.
Chattopadhyay, S., *see* Karmakar, P. K.
Chauhan, N. S. and Lang, R. H.: Radar backscattering from alfalfa canopy: a clump modelling approach, 2203
Chen, C-S., *see* Lin, W-S.
Chen, F.: A preconditioned Quasi-Minimal Residual method for electrically large random surface scattering of remote sensing, 2627
Chen, F., *see* Remond, A.
Chen, G. and Ezraty, R.: Variation of Southern Ocean sea level and its possible relation with Antarctic sea ice, 31
Chen, J., *see* Rao, X. R. N.
Chiu, H.-J., *see* Lin, W-S.
Chopping, M. J.: Comment on 'A simple method to account for off-nadir-scattering in the NOAA/NASA Pathfinder AVHRR Land Data Set' by Seaquist and Olsson (1998), 815
Chopping, M. J., *see* Yang, H.
Chorowicz, J., *see* Pubellier, M.

Cho, K., Ito, R., Shimoda, H. and Sakata, T.: Technical note and cover. Fishing fleet lights and sea surface temperature distribution observed by DMSP/OLS sensor, 3
Chuvieco, E., *see* Franceschetti, G.
Chuvieco, E.: Measuring changes in landscape pattern from satellite images: short-term effects of fire on spatial diversity, 2331
Ciavola, P., Mantovani, F., Simeoni, U. and Tessari, U.: Relation between river dynamics and coastal changes in Albania: an assessment integrat ing satellite imagery with historical data, 561
Cihlar, J.: A new methodology foı land cover mapping, 1457
Cihlar, J., *see* Hoepffner, N.
Clark, C. and Boyce, J.: The detection of ship trail clouds by artificial neural network, 711
Clifton, H. L., *see* Parkes, S. M.
Cloutis, E. A., Connery, D. R. and Dover, F. J.: Agricultural crop monitoring using airborne multi-spectral imagery and C-band synthetic aperture radar, 767
Coen, E., *see* Martinez-Diaz-De-Leon, A.
Colao, F., *see* Barbini, R.
Coleman, T. L., *see* Laymon, C. A.
Coltelli, M., *see* Sansosti, E.
Connell, B., *see* Alfaro, R.
Connery, D. R., *see* Cloutis, E. A.
Connor, S. J., *see* Cresswell, M. P.
Coppin, P., *see* Sigrist, P.
Cortijo, F. J. and Blanca, N. P. D. L.: The performance of regularized discriminant analysis versus non-parametric classifiers applied to high-dimensional image classification, 3345
Coulter, L. L., *see* Hope, A. S.
Cracknell, A. P.: Editorial, 3467
Cracknell, A. P., *see* Anthis, A. I.
Cracknell, A. P., *see* McManus, J.
Cracknell, A. P., *see* Srivastava, A.
Cracknell, A. P., *see* Srivastava, A.
Cracknell, A. P.: Remote sensing techniques in estuaries and coastal zones—an update, 485
Cracknell, A. P.: Twenty years of publication of the *International Journal of Remote Sensing*, *3469*
Craeye, C., *see* Sobieski, P. W.
Cresswell, M. P., Morse, A. P., Thomson, M. C. and Connor, S. J.: Estimating surface air temperatures, from Meteosat land surface temperatures, using an empirical solar zenith angle model, 1125
Crosson, W. L., *see* Laymon, C. A.
C-Chen, S., *see* W-Lin, S.
Cuomo, V., Pietrapertosa, C., Serio, C. and Tramutoli, V.: Assessing the impact of cloud morphology on infrared sounder scan geometry, 169
Curran, P. J., *see* Boyd, D. S.
Cusack, G. A., Hutchinson, M. F. and Kalma, J. D.: Calibrating airborne vegetation data for hydrological applications under dry conditions, 2221
Cuthbert, I., *see* Vaughan, R. A.

Damen, M. C. J., *see* Yang, X.
Danaher, S., *see* Buckton, D.
Dantec, V. L., *see* Demarez, V.
Darecki, M., *see* Semovski, S. V.
Dasgupta, S., *see* Rao, B. R. M.

DATT, B., *see* Sidjak, R. W.
DATT, B.: Visible/near infrared reflectance and chlorophyll content in Eucalyptus leaves, 2741
DAVENPORT, R., NEUER, S., HERNÁNDEZ-GUERRA, A., RUEDA, M. J., LLINAS, O., FISCHER, G. and WEFER, G.: Seasonal and interannual pigment concentration in the Canary Islands region from CZCS data and comparison with observations from the ESTOC, 1419
DAVISON, A. J., *see* Downie, A. J.
DEBINSKI, D. M., KINDSCHER, K. and JAKUBAUSKAS, M. E.: A remote sensing and GIS-based model of habitats and biodiversity in the Greater Yellowstone Ecosystem, 3281
DEFFONTAINES, B., *see* Pubellier, M.
DELLEPIANE, S. G., *see* Smits, P. C.
DELWART, S., *see* Merheim-Kealy, P.
DEMAREZ, V., GASTELLU-ETCHEGORRY, J. P., MOUGIN, E., MARTY, G., PROISY, C., DUFRÊNE, E. and DANTEC, V. L.: Seasonal variation of leaf chlorophyll content of a temperate forest. Inversion of the PROSPECT model, 879
DESCLOITRES, J., *see* Bingham, A. W.
DESCLOITRES, J.: SeaWiFS global data represented in MODIS land projections, 3243
DIERKING, W., PETTERSSON, M. I. and ASKNE, J.: Multifrequency scatterometer measurements of Baltic Sea ice during EMAC-95, 349
DIOS, R., *see* Bagheri, S.
DOERFFER, R., *see* Gower, J. F. R.
DOERFFER, R., *see* Schiller, H.
DOERFFER, R., *see* Siegel, H.
DOERFFER, R., SØRENSEN, K. and AIKEN, J.: MERIS potential for coastal zone applications, 1809
DONG, Y., FORESTER, B. C. and MILNE, A. K.: Segmentation of radar imagery using the Gaussian Markov random field model, 1617
DONLON, C. J., *see* Keogh, S. J.
DONLON, C. J., CASTRO, S. L. and KAYE, A.: Aircraft validation of ERS-1 ATSR and NOAA-14 AVHRR sea surface temperature measurements, 3503
DONNAN, D. W., *see* Downie, A. J.
DOVER, F. J., *see* Cloutis, E. A.
DOWELL, M. D., *see* Semovski, S. V.
DOWNIE, A. J., DONNAN, D. W. and DAVISON, A. J.: A review of Scottish Natural Heritage's work in subtidal marine biotope mapping using remote sensing, 585
D-HE, C., *see* Li, W.
DUARTE, V., *see* Shimabukuro, Y. E.
DUBOIS, J-M. M., *see* Moisan, Y.
DUBUISSON, P., *see* Santer, R.
DUCHEMIN, B., GUYON, D. and LAGOUARDE, J. P.: Potential and limits of NOAA-AVHRR temporal composite data for phenology and water stress monitoring of temperate forest ecosystems, 895
DUCK, R. W., *see* McManus, J.
DUCK, R. W., *see* McManus, J.
DUCK, R. W., *see* Wewetzer, S. F. K.
DUCROT, D., *see* Trichon, V.
DUFRÊNE, E., *see* Demarez, V.
DUTRA, L. V. and HUBER, R.: Feature extraction and selection for ERS-1/2 InSAR classification, 993
DWIVEDI, R. S., *see* Rao, B. R. M.
DWIVEDI, R. S., RAO, B. R. M. and BHATTACHARYA, S.: Mapping wetlands of the Sundaban Delta and it's environs using ERS-1 SAR data, 2235
DWIVEDI, R. S., SREENIVAS, K. and RAMANA, K. V.: Inventory of salt-affected soils and waterlogged areas: a remote sensing approach, 1589

EDIRISINGHE, A., LOUIS, J. P. and CHAPMAN, G. E.: Radiometric Calibration of Multispectral Airborne Video Systems, 2855
EDWARDS, G., *see* Bolduc, P.
EKANADE, O., *see* Salami, A. T.
EL-DIN, S. H. S., *see* El-Raey, M.
EL-RAEY, M., EL-DIN, S. H. S., KHAFAGY, A. A. and ZED, A. I. A.: Remote sensing of beach erosion/accretion patterns along Damietta–Port Said shoreline, Egypt, 1087
ELVEBAKK, A., *see* Nilsen, L.
ELVIDGE, C. D., *see* Nakayama, M.
EMERY, D. R., *see* Atkinson, P. M.
ENGESET, R. V. and ØDEGÅRD, R. S.: Comparison of annual changes in winter ERS-1 SAR images and glacier mass balance of Slakbreen, Svalbard, 259
ESPEDAL, H. A. and WAHL, T.: Satellite SAR oil spill detection using wind history information, 49
EZRATY, R., *see* Chen, G.

FAHSI, A., *see* Laymon, C. A.
FAN, C., *see* Rochelle-Newall, E. J.
FANTONI, R., *see* Barbini, R.
FELL, F., *see* Fischer, J.
FERNÁNDEZ, W., *see* Alfaro, R.
FERRAZZOLI, P., *see* Macelloni, G.
FINENKO, Z., *see* Hoepffner, N.
FISCHER, G., *see* Davenport, R.
FISCHER, J. and FELL, F.: Simulation of MERIS measurements above selected ocean waters, 1787
FISHER, T. R., *see* Rochelle-Newall, E. J.
FIÚZA, A. F. G., *see* Peliz, A. J.
FLEMING, J. B., *see* McMichael, C. E.
FLYNN, L. P., *see* Harris, A. J. L.
FOODY, G. M. and BOYD, D. S.: Detection of partial land cover change associated with the migration of inter-class transitional zones, 2723
FOODY, G. M., *see* Boyd, D. S.
FOODY, G. M., *see* Ward, B.
FOODY, G. M.: The significance of border training patterns in classification by a feedforward neural network using backpropagation learning, 3549
FOOTE, H., *see* Warner, T. A.
FORESTER, B. C., *see* Dong, Y.
FORNARO, G., *see* Sansosti, E.
FORSTER, R. R., JEZEK, K. C., BOLZAN, J., BAUMGARTNER, F. and GOGINENI, S. P.: Relationships between radar backscatter and accumulation rates on the Greenland ice sheet, 3131
FORTIN, J.-P., *see* Baghdadi, N.
FOSTER, J. L., *see* Saraf, A. K.
FRANCESCHETTI, G., *see* Sansosti, E.
FRANCESCHETTI, G., IODICE, A. and TESAURO, M.: Performance analysis of a novel time-domain real-time SAR processor, 2309
FRANSSON, J. E. S. and ISRAELSSON, H.: Estimation of stem volume in boreal forests using ERS-1 C- and JERS-1 L-band SAR data, 123
FRANSSON, J. E. S., WALTER, F. and OLSSON, H.: Identification of clear felled areas using SPOT P and Almaz-1 SAR data, 3583
FRASER, B., *see* King, D. J.
FUCHS, M., *see* Otterman, J.

Fukuhara, M., *see* Ikeda, H.
Funk, C., *see* Verdin, J.
Fusco, L., *see* Barale, V.

Gao, J.: A comparative study on spatial and spectral resolutions of satellite data in mapping mangrove forests, 2823
Gao, J., *see* Jensen, J. R.
Garcia-Gorriz, E. and Vazquez-Cuervo, J.: Ocean-atmosphere coupling in the Mediterranean Sea from TOPEX/POSEIDON, ERS1 and AVHRR data, 2127
Garnesson, P., *see* Bardey, P.
Garzelli, A.: Classification of polarimetric SAR images using adaptive neighbourhood structures, 1669
Garzelli, A., *see* Martinez-Diaz-De-Leon, A.
Gastellu-Etchegorry, J. P., *see* Demarez, V.
Gastellu-Etchegorry, J. P., *see* Trichon, V.
Gens, R., *see* Prakash, A.
Gerth, M., *see* Siegel, H.
Giglio, L., *see* Roy, D. P.
Giglio, L., Kendall, J. D. and Justice, C. O.: Evaluation of global fire detection algorithms using simulated AVHRR infrared data, 1947
Gill, R. S. and Valeur, H. H.: Ice cover discrimination in the Greenland waters using first-order texture parameters of ERS SAR images, 373
Gineste, P., *see* Holden, H.
Gineste, P.: Technical note. A simple, efficient filter for multitemporal SAR images, 2565
Glibert, P. M., *see* Rochelle-Newall, E. J.
Gobron, N., *see* Govaerts, Y. M.
Gobron, N., Pinty, B., Verstraete, M. and Govaerts, Y.: The MERIS Global Vegetation Index (MGVI): description and preliminary application, 1917
Gogineni, S. P., *see* Forster, R. R.
Gokhale, K. V. G. K., *see* Srivastava, A.
Gonçalves, J. L. D. M., *see* Ponzoni, F. J.
Gong, P., Wang, D. X. and Liang, S.: Inverting a canopy reflectance model using a neural network, 111
González, A., *see* Herrera, F.
Govaerts, Y., *see* Gobron, N.
Govaerts, Y. M.: Correction of the Meteosat-5 and -6 radiometer solar channel spectral response with the Meteosat-7 sensor spectral characteristics., 3677
Govaerts, Y. M., *see* Adams, M. L.
Govaerts, Y. M., Verstraete, M. M., Pinty, B. and Gobron, N.: Designing optimal spectral indices: a feasibility and proof of concept study, 1853
Gower, J. F. R., Doerffer, R. and Borstad, G. A.: Interpretation of the 685 nm peak in water-leaving radiance spectra in terms of fluores cence, absorption and scattering, and its observation by MERIS, 1771
Grant, C., *see* Asmus, K. W.
Groom, S. B., *see* Lavender, S. J.
Groves, J., *see* Li, S.
Guérif, M., *see* Moulin, S.
Gupta, R. P., *see* Prakash, A.
Guritz, R., *see* Li, S.
Gu, Y., Anderson, J. M. and Monk, J. G. C.: An approach to the spectral and radiometric calibration of the VIFIS system, 535
Gutman, G. G., *see* Bagheri, S.

GUTMAN, G. G.: On the monitoring of land surface temperatures with the NOAA/AVHRR: removing the effect of satellite orbit drift, 3407
GUYON, D., *see* Duchemin, B.
GWYN, Q. H. J., *see* Li, W.

HAAS, C., LIU, Q. and MARTIN, T.: Retrieval of Antarctic sea-ice pressure ridge frequencies from ERS SAR imagery by means of *in situ* laser profiling and usage of a neural network, 3111
HALL, D. K., *see* Winther, J-G.
HANSEN, B. U., *see* Jacobsen, A.
HAPTER, R., *see* Semovski, S. V.
HARRIS, A. J. L., WRIGHT, R. and FLYNN, L. P.: Remote monitoring of Mount Erebus Volcano, Antarctica, using Polar Orbiters: Progress and Prospects, 3051
HART JR, T. F., *see* Henderson, F. M.
HAUSER, A., *see* Lythe, M.
HEATON, B. P., *see* Henderson, F. M.
HENDERSON, F. M., HART JR, T. F., HEATON, B. P. and PORTOLESE, J. E.: Mapping coastal ecosystems over a steep development gradient using C-CAP protocols, 727
HENNINGS, I., ALPERS, R. R. W. and VIOLA, A.: Radar imaging of Kelvin arms of ship wakes, 2519
HERMY, M., *see* Sigrist, P.
HERNÁNDEZ-GUERRA, A., *see* Davenport, R.
HERNÁNDEZ-GUERRA, A., *see* Pacheco, M. M.
HERRERA, F., ROSA, F., GONZÁLEZ, A. and PÉREZ, J. C.: Method based on a radiative transfer model to extract the solar component from NOAA- AVHRR channel 3, 699
HERZFELD, U. C. and MATASSA, M. S.: An atlas of Antarctica north of 72.1 S from GEOSAT radar altimeter data, 241
HERZFELD, U. C.: Geostatistical interpolation and classification of remote sensing data from ice surfaces, 307
HERZFELD, U. C., *see* Harris, A. J. L.
HILL, R. A.: Image segmentation for humid tropical forest classification in Landsat TM data, 1039
HILL, R. A., *see* Roy, D. P.
HOEPFFNER, N., STURM, B., FINENKO, Z. and LARKIN, D.: Depth-integrated primary production in the eastern tropical and subtropical North Atlantic basin from ocean colour imagery, 1435
HOLDEN, H. and LEDREW, E.: Hyperspectral identification of coral reef features, 2545
HOPE, A. S., *see* McMichael, C. E.
HOPE, A. S., COULTER, L. L. and STOW, D. A.: Estimating lake area in an Arctic landscape using linear mixture modelling with AVHRR data, 829
HOPE, A. S., PENCE, K. R. and STOW, D. A.: Response of the normalized difference vegetation index to varying cloud conditions in Arctic tundra environments, 207
H-CHIU, J., *see* W-Lin, S.
H-SOHN, G. and JEZEK, K. C.: Mapping ice sheet margins from ERS-1 SAR and SPOT imagery, 3201
HUBER, R., *see* Dutra, L. V.
HUOT, J. P., *see* Merheim-Kealy, P.
HUTCHINSON, M. F., *see* Cusack, G. A.

IGBOKWE, J. I.: Geometrical processing of multi-sensoral multi-temporal satellite images for change detection studies, 1141
IGBOKWE, J. I., *see* Richter, R.

IKEDA, H., OKAMOTO, K. and FUKUHARA, M.: Estimation of aboveground grassland phytomass with a growth model using Landsat TM and climate data, 2283
IODICE, A., *see* Franceschetti, G.
IOSSIFIDIS, CHR., *see* Karathanassi, V.
ISHIDA, T. and ANDO, H.: Use of disjunctive cokriging to estimate soil organic matter from Landsat Thematic Mapper image, 1549
ISHIZU, M., MIZUTANI, K. and ITABE, T.: Airborne freeboard measurements of sea ice and lake ice at the Sea of Okhotsk coast in 1993–95 by a laser altimeter, 2461
ISRAELSSON, H., *see* Fransson, J. E. S.
ITABE, T., *see* Ishizu, M.
ITO, R., *see* Cho, K.

JACKSON, T. J., *see* Laymon, C. A.
JACOBSEN, A. and HANSEN, B. U.: Estimation of the soil heat flux/net radiation ratio based on spectral vegetation indexes in high-latitude Arctic areas, 445
JAKUBAUSKAS, M. E., *see* Debinski, D. M.
JAQUET, J.-M., TASSAN, S., BARALE, V. and SARBAJI, M.: Bathymetric and bottom effects on CZCS chlorophyll-like pigment estimation: data from the Kerkennah Shelf (Tunisia), 1343
JENSEN, J. R., QIU, F. and JI, M.: Predictive modelling of coniferous forest age using statistical and artificial neural net work approaches applied to remote sensor data, 2805
JEZEK, K. C., *see* Forster, R. R.
JEZEK, K. C., *see* H-Sohn, G.
JI, M., *see* Jensen, J. R.
JIN, Y-Q.: A flooding index and its regional threshold value for monitoring floods in China from SSM/I data, 1025
JIN, Y-Q. and ZHANG, N.: Correlation of the ERS and SSM/I observations over Snowpack and Numerical Simulation, 3009
JOHNSON, J. E., *see* Allee, R. J.
JOLLINEAU, M., *see* King, D. J.
JOLY, D., *see* Nilsen, L.
JOLY, D., *see* Nilsen, L.
JØRGENSEN, P. V., *see* Semovski, S. V.
JØRGENSEN, P. V.: Standard CZCS Case 1 algorithms in Danish coastal waters, 1289
JUSTICE, C. O., *see* Giglio, L.
JUSTICE, C. O., *see* Roy, D. P.

KÄYHKÖ, J., VUORELA, A., PYE, K. and WORSLEY, P.: Landsat TM mapping of evidence for current wind activity in northern Fennoscandia, 421
KAHRU, M. and MITCHELL, B. G.: Empirical chlorophyll algorithm and preliminary SeaWiFS validation for the California Current, 3423
KALMA, J. D., *see* Cusack, G. A.
KARATHANASSI, V., IOSSIFIDIS, CHR. and ROKOS, D.: A thinning-based method for recognizing and extracting peri-urban road networks from SPOT panchromatic images, 153
KARMAKAR, P. K., CHATTOPADHYAY, S. and SEN, A. K.: Estimates of water vapour absorption over Calcutta at 22.235 GHz, 2637
KARNIELI, A., *see* Qin, Z.
KAVZOGLU, T. and MATHER, P. M.: Pruning artificial neural networks: an example using land cover classification of multi- sensor images, 2787
KAWASHIMA, H., *see* Okamoto, K.
KAYE, A., *see* Donlon, C. J.
KEINER, L. E. and BROWN, C. W.: Estimating oceanic chlorophyll concentrations with neural networks, 189

KELENAK, A., *see* Steyn-Ross, M. L.
KENDALL, J. D., *see* Giglio, L.
KENDALL, J. D., *see* Roy, D. P.
KEOGH, S. J., ROBINSON, I. S., DONLON, C. J. and NIGHTINGALE, T. J.: The accuracy of AVHRR SST determined using shipborne radiometers, 2871
KHAFAGY, A. A., *see* El-Raey, M.
KHORRAM, S., *see* Morisette, J. T.
KIMES, D. S., NELSON, R. F., SALAS, W. A. and SKOLES, D. L.: Mapping secondary tropical forest and forest age from SPOT HRV data, 3625
KINDSCHER, K., *see* Debinski, D. M.
KING, C., *see* Remond, A.
KING, D. J., JOLLINEAU, M. and FRASER, B.: Evaluation of MK-4 multispectral satellite photography in land cover classification of eastern Ontario, 3311
KIRKBRIDE, M. P., *see* Brown, I. A.
KLAVER, R., *see* Verdin, J.
KNAPP, W. H., REIJMER, C. H. and OERLEMANS, J.: Narrowband to broadband conversion of Landsat TM glacier albedos, 2091
KNAP, W. H., BROCK, B. W., OERLEMANS, J. and WILLIS, I. C.: Comparison of Landsat TM-derived and ground-based albedos of Haut Glacier d'Arolla, Switzerland, 3293
KÖGELER, J. and REY, F.: Ocean colour and the spatial and seasonal distribution of phytoplankton in the Barents Sea, 1303
KROONENBERG, S. B., *see* Yang, H.
KRUG, T., *see* Noernberg, M. A.
KUMAR, S., SAHOO, P. K. and SINGH, R. P.: Monitoring of brightness temperature over Indian and adjoining regions using SSM/I data, 2305
KUNTZ, S. and SIEGERT, F.: Monitoring of deforestation and land use in Indonesia with multitemporal ERS data, 2835
KUSHWAHA, S. P. S., *see* Rao, B. R. M.

LAGOUARDE, J. P., *see* Duchemin, B.
LAKSHMI, V., *see* Otterman, J.
LANARI, R., *see* Sansosti, E.
LANG, R. H., *see* Chauhan, N. S.
LARKIN, D., *see* Barale, V.
LARKIN, D., *see* Hoepffner, N.
LARKIN, D., *see* Sturm, B.
LAVENDER, S. J. and GROOM, S. B.: The SeaWiFS Automatic Data Processing System (SeaAPS), 1051
LAVENDER, S. J., *see* Moore, G. F.
LAYMON, C. A., CROSSON, W. L., SOMAN, V. V., BELISLE, W. R., COLEMAN, T. L., FAHSI, A., MANU, A., SENWO, Z. N., TSEGAYE, T. D., O'NEILL, P. E. and JACKSON, T. J.: Huntsville '96: an experiment in ground-based microwave remote sensing of soil moisture, 823
LEDREW, E., *see* Holden, H.
LIANG, S., *see* Gong, P.
LIEW, S. C., *see* Nakayama, M.
LI, S., GURITZ, R., LOGAN, T., SHINDLE, M., GROVES, J., OLMSTED, C., CARSEY, F. and MACMAHON, J.: Summer environmental mapping potential of a large-scale ERS-1 SAR mosaic of the state of Alaska, 387
LI, W., BÉNIÉ, G. B., D-HE, C., WANG, S., ZIOU, D. and GWYN, Q. H. J.: Watershed-based hierarchical SAR image segmentation, 3377
LIN, W-S., WU, J-Y., CHIU, H-J., CHEN, C-S. and CHANG, Y-J.: Radiometric characterization of the ROCSAT Ocean Color Imager, 3247

Liu, Q., *see* Haas, C.
Llinas, O., *see* Davenport, R.
Logan, T., *see* Li, S.
Lohani, B. and Mason, D. C.: Construction of a Digital Elevation Model of the Holderness Coast using the waterline method and Airborne Thematic Mapper data, 593
Louis, J. P., *see* Edirisinghe, A.
Lowell, K., *see* Bolduc, P.
Lüdeker, W., *see* Richter, R.
Lu, Y. H., *see* Ye, W.
Lythe, M., Hauser, A. and Wendler, G.: Classification of sea ice types in the Ross Sea, Antarctica from SAR and AVHRR imagery, 3073

Macelloni, G., Paloscia, S., Pampaloni, P., Sigismondi, S., Matthaeis, P. D., Ferrazzoli, P., Schiavon, G. and Solimini, D.: The SIR-C/X-SAR experiment on Montespertoli: sensitivity to hydrological parameters, 2597
Mace, T., *see* Morisette, J. T.
MacMahon, J., *see* Li, S.
Mätzler, C., *see* Strozzi, T.
Maki, M., *see* Nakayama, M.
Mannstein, H., Meyer, R. and Wendling, P.: Operational detection of contrails from NOAA-AVHRR-data, 1641
Mantovani, F., *see* Ciavola, P.
Manu, A., *see* Laymon, C. A.
Marçal, A. R. S.: A new method for high accuracy navigation of NOAA AVHRR imagery, 3273
Marçal, A. R. S., *see* Mishra, A. K.
Martínez-Lozano, J. A., Utrillas, M. P. and Tena, F.: Retrieval of the aerosol size distribution from spectroradiometer measurements at a coastal site in the Mediterranean Sea, 2167
Martinez-Diaz-De-Leon, A., Robinson, I. S., Ballestero, D. and Coen, E.: Wind driven ocean circulation features in the Gulf of Tehuantepec, Mexico, revealed by combined SAR and SST satellite sensor data, 1661
Martin, D., Bernier, M., Sasseville, J. L. and Charbonneau, R.: Évaluation financière de l'intégration de technologies satellitaires, pour le suivi du cou vert nival, au sein d'une entreprise hydroélectrique (Le cas de l'utilisation du satellite Radarsat I dans le bassin de la rivière La Grande (Québec), 2033
Martin, T., *see* Haas, C.
Marty, G., *see* Demarez, V.
Mascarenhas, N. D. A., *see* Aguiar, A. P. D.
Mason, D. C., *see* Lohani, B.
Mas, J.-F., *see* Peliz, A. J.
Mas, J.-F.: Monitoring land-cover changes: a comparison of change detection techniques, 139
Matassa, M. S., *see* Herzfeld, U. C.
Mather, P. M., *see* Kavzoglu, T.
Mather, P. M., *see* Tso, B.
Matthaeis, P. D., *see* Macelloni, G.
Mazzarini, F., *see* Casacchia, R.
McManus, J., *see* Wewetzer, S. F. K.
McManus, J., Anderson, J. M. and Duck, R. W.: Editorial, 483
McManus, J., Duck, R. W. and Anderson, J. M.: The relative merits and limitations of thermal radiometric measurements in estuarine studies, 549

McMichael, C. E., Hope, A. S., Stow, D. A., Fleming, J. B., Vourlitis, G. and Oechel, W.: Estimating CO_2 exchange at two sites in Arctic tundra ecosystems during the growing season using a spectral vegetation index, 683
Meer, F. V. D.: Iterative spectral unmixing (ISU), 3431
Meer, F. V. D., *see* Kahru, M.
Meer, F. V. D., *see* Yang, H.
Meer, F. V. D., *see* Yang, H.
Melinotte, J. M., *see* Barale, V.
Mello, E. M. K., *see* Shimabukuro, Y. E.
Merheim-Kealy, P., Huot, J. P. and Delwart, S.: The MERIS ground segment, 1703
Meyer, R., *see* Mannstein, H.
Milne, A. K., *see* Dong, Y.
Milton, E. J., *see* Smith, G. M.
Miranda, F. P., *see* Almeida-Filho, R.
Mishra, A. K. and Nath, A. N.: Determination of satellite nadir and azimuth angles for a tilting sensor, 3265
Mitchell, B. G., *see* Kahru, M.
Mizutani, K., *see* Ishizu, M.
Moisan, Y. and Dubois, J-M. M.: Détection des changements dans une série d'images ERS-1 multidates à l'aide de l'analyse en composantes principales, 1149
Monk, J. G. C., *see* Gu, Y.
Moore, G. F., Aiken, J. and Lavender, S. J.: The atmospheric correction of water colour and the quantitative retrieval of suspended particulate matter in Case II waters: application to MERIS, 1713
Moreira, J. C., *see* Shimabukuro, Y. E.
Morel, A., *see* Antoine, D.
Morel, A., *see* Bricaud, A.
Morisette, J. T., Khorram, S. and Mace, T.: Land-cover change detection enhanced with generalized linear models, 2703
Morris, K. P., *see* Uncles, R. J.
Morse, A. P., *see* Cresswell, M. P.
Mostafa, M. E., *see* Zakir, F. A.
Mougin, E., *see* Demarez, V.
Moulin, C. and Schneider, X.: Calibration of the Meteosat-5 sensor visible channel, 195
Moulin, S. and Guérif, M.: Impacts of model parameter uncertainties on crop reflectance estimates: a regional case study on wheat, 213
Moussu, G., *see* Bardey, P.
Muller, S. V., Racoviteanu, A. E. and Walker, D. A.: Landsat MSS-derived land-cover map of northern Alaska: extrapolation methods and a comparison with photo-interpreted and AVHRR-derived maps, 2921
Murphy, R. J., *see* Uncles, R. J.

Nakayama, M., Maki, M., Elvidge, C. D. and Liew, S. C.: Contextual algorithm adapted for NOAA-AVHRR fire detection in Indonesia, 3415
Nath, A. N., *see* Mishra, A. K.
Nedeltchev, N. M., *see* Martínez-Lozano, J. A.
Nedeltchev, N. M., *see* Santer, R.
Nedeltchev, N. M.: Technical note. Space Shuttle Photography—a powerful tool of remote sensing investi gation of human effects on the Earth, 183
Nedeltchev, N. M.: Thermal microwave emission depth and soil moisture remote sensing, 2183
Nelson, R. F., *see* Kimes, D. S.
Neuer, S., *see* Davenport, R.

NEUMANN, T., *see* Siegel, H.
NIGHTINGALE, T. J., *see* Keogh, S. J.
NILSEN, L., BROSSARD, T. and JOLY, D.: Mapping plant communities in a local Arctic landscape applying a scanned infrared aerial photograph in a geographical information system, 463
NILSEN, L., ELVEBAKK, A., BROSSARD, T. and JOLY, D.: Mapping and analysing arctic vegetation: evaluating a method coupling numerical classifica tion of vegetation data with SPOT satellite data in a probability model, 2947
NOERNBERG, M. A., NOVO, E. M. and KRUG, T.: The use of biophysical indices and coefficient of variation derived from airborne synthetic aperture radar for monitoring the spread of aquatic vegetation in tropical reservoirs, 67
NORWELL, W. A., *see* Adams, M. L.
NOVO, E. M., *see* Noernberg, M. A.

ØDEGÅRD, R. S., *see* Engeset, R. V.
OECHEL, W., *see* McMichael, C. E.
OERLEMANS, J., *see* Knap, W. H.
OERLEMANS, J., *see* Knapp, W. H.
OKAMOTO, K. and KAWASHIMA, H.: Estimation of rice-planted area in the tropical zone using a combination of optical and microwave satellite sensor data, 1045
OKAMOTO, K., *see* Ikeda, H.
OLMSTED, C., *see* Li, S.
OLSSON, H., *see* Fransson, J. E. S.
O'MONGAIN, E., *see* Buckton, D.
O'NEILL, P. E., *see* Laymon, C. A.
OTTERMAN, J., BRAKKE, T. W., FUCHS, M., LAKSHMI, V. and CADEDDU, M.: Longwave emission from a plant/soil surface as a function of the view direction: depend ence on the canopy architecture, 2195
OYINLOYE, R. O., *see* Salami, A. T.

PACHECO, M. M. and HERNÁNDEZ-GUERRA, A.: Seasonal variability of recurrent phytoplankton pigment patterns in the Canary Islands area, 1405
PALOSCIA, S., *see* Macelloni, G.
PALUCCI, A., *see* Barbini, R.
PAMPALONI, P., *see* Macelloni, G.
PARKES, S. M. and CLIFTON, H. L.: The compression of raw SAR and SAR image data, 3563
PÉREZ, J. C., *see* Herrera, F.
PELIZ, A. J. and FIÚZA, A. F. G.: Temporal and spatial variability of CZCS-derived phytoplankton pigment concentra tions off the western Iberian Peninsula, 1363
PENCE, K. R., *see* Hope, A. S.
PEREIRA, J. L. G., *see* Alves, D. S.
PERMANA, H., *see* Pubellier, M.
PETTERSSON, M. I., *see* Dierking, W.
PHILPOT, W. D., *see* Adams, M. L.
PIEPEN, H. V. D., AMMAN, V. and BARROT, K. W.: The distinction of different water masses by means of remote sensing data collected during the Alboran Sea Experiment, 1319
PIETRAPERTOSA, C., *see* Cuomo, V.
PINTY, B., *see* Gobron, N.
PINTY, B., *see* Govaerts, Y. M.
PINTY, B., *see* Verstraete, M. M.
PITMAN, J. I., *see* Blackburn, G. A.
PITTELLA, G., *see* Barale, V.

Pokharna, S. S., *see* Ray, S. S.
Ponzoni, F. J. and Gonçalves, J. L. D. M.: Spectral features associated with nitrogen, phosphorus, and potassium deficiencies in *Eucalyptus saligna seedling leaves*, 2249
Portolese, J. E., *see* Henderson, F. M.
Prakash, A. and Gupta, R. P.: Surface fires in Jharia coalfield, India—their distribution and estimation of area and temperature from TM data, 1935
Prakash, A., Gens, R. and Vekerdy, Z.: Monitoring coal fires using multi-temporal night-time thermal images in a coalfield in north-west China, 2883
Price, K. P., *see* Bork, E. W.
Proisy, C., *see* Demarez, V.
Pubellier, M., Deffontaines, B., Chorowicz, J., Rudant, J.-P. and Permana, H.: Active denudation morphostructures from SAR ERS-1 images (SW Irian Jaya), 789
Puglisi, G., *see* Sansosti, E.
Pye, K., *see* Käyhkö, J.

Qari, M. H. T., *see* Zakir, F. A.
Qin, Z. and Karnieli, A.: Review article. Progress in the remote sensing of land surface temperature and ground emissivity using NOAA–AVHRR data, 2367
Qiu, F., *see* Jensen, J. R.

Racoviteanu, A. E., *see* Muller, S. V.
Ramana, K. V., *see* Dwivedi, R. S.
Rao, B. R. M., *see* Dwivedi, R. S.
Rao, B. R. M., Dwivedi, R. S., Kushwaha, S. P. S., Bhattacharya, S. N., Anand, J. B. and Dasgupta, S.: Monitoring the spatial extent of coastal wetlands using ERS-1 SAR data, 2509
Rao, X. R. N. and Chen, J.: Revised post-launch calibration of the visible and near-infrared channels of the Advanced Very High Resolution Radiometer (AVHRR) on the NOAA-14 spacecraft, 3485
Rast, M.: Editorial, 1679
Rast, M., *see* Martinez-Diaz-De-Leon, A.
Rast, M., Bézy, J. L. and Bruzzi, S.: The ESA Medium Resolution Imaging Spectrometer MERIS—a review of the instru ment and its mission, 1681
Raucoules, D. and Thomson, K. P. B.: Adaptation of the Hierarchical Stepwise Segmentation Algorithm for automatic segmentation of a SAR mosaic, 2111
Ravagnan, G., *see* Alberotanza, L.
Ray, S. S., Pokharna, S. S. and Ajai: Cotton yield estimation using agrometeorological model and satellite-derived spectral profile, 2693
Redfern, S., *see* Ward, B.
Reed, B. C., *see* Schwartz, M. D.
Rees, W. G., *see* Bingham, A. W.
Rees, W. G., *see* Slater, M. T.
Rees, W. G., *see* Toutoubalina, O. V.
Rees, W. G., *see* Williams, R. N.
Reijmer, C. H., *see* Knapp, W. H.
Remond, A., Beaudoin, A. and King, C.: SAR imagery to estimate roughness parameters when modelling runoff risk, 2613
Retalis, A., Cartalis, C. and Athanassiou, E.: Assessment of the distribution of aerosols in the area of Athens with the use of Landsat Thematic Mapper data, 939
Rey, F., *see* Kögeler, J.
Ribbes, F. and Toan, T. L.: Rice field mapping and monitoring with RADARSAT data, 745
Ribezzo, S., *see* Barbini, R.

Richter, R. and Lüdeker, W.: Atmospheric water vapour derived from MOS-B land imagery, 1133
Ricotta, C. and Avena, G. C.: The influence of fuzzy set theory on the areal extent of thematic map classes, 201
Ricotta, C., Avena, G. C. and Volpe, F.: The influence of principal component analysis on the spatial structure of a multispectral dataset, 3367
Roberts, A. C. B. and Anderson, J. M.: Shallow water bathymetry using integrated airborne multi-spectral remote sensing, 497
Roberts, D., *see* Verdin, J.
Robinson, I. S., *see* Keogh, S. J.
Robinson, I. S., *see* Martinez-Diaz-De-Leon, A.
Robinson, M.-C., *see* Uncles, R. J.
Rochelle-Newall, E. J., Fisher, T. R., Fan, C. and Glibert, P. M.: Dynamics of chromophoric dissolved organic matter and dissolved organic carbon in experimental mesocosms, 627
Roger, J. C., *see* Santer, R.
Rokos, D., *see* Karathanassi, V.
Rosa, F., *see* Herrera, F.
Rosenqvist, Å.: Temporal and spatial characteristics of irrigated rice in JERS-1 L-band SAR data, 1567
Roy, D. P., Giglio, L., Kendall, J. D. and Justice, C. O.: Multi-temporal active-fire based burn scar detection algorithm, 1031
Rudant, J.-P., *see* Pubellier, M.
Ruddick, K. G., *see* Vasilkov, A. P.
Rueda, M. J., *see* Davenport, R.

Sagar, B. S. D. and Srinivas, D.: Technical note. Estimation of number–area–frequency dimensions of surface water bodies, 2491
Sahoo, P. K., *see* Kumar, S.
Sakata, T., *see* Cho, K.
Salami, A. T., *see* Moisan, Y.
Salami, A. T., Ekanade, O. and Oyinloye, R. O.: Detection of forest reserve incursion in south-western Nigeria from a combination of multi-date aerial photographs and high resolution satellite imagery, 1487
Salami, A. T.: Vegetation dynamics on the fringes of lowland humid tropical rainforest of south-western Nigeria—an assessment of environmental change with air photos and Landsat TM, 1169
Salas, W. A., *see* Kimes, D. S.
Salvatori, R., *see* Casacchia, R.
Salvini, F., *see* Casacchia, R.
Sansosti, E., Lanari, R., Fornaro, G., Franceschetti, G., Tesauro, M., Puglisi, G. and Coltelli, M.: Digital elevation model generation using ascending and descending ERS-1/ERS-2 tandem data, 1527
Santer, R., Carrere, V., Dubuisson, P. and Roger, J. C.: Atmospheric correction over land for MERIS, 1819
Saraf, A. K.: IRS-1C-LISS-III and PAN data fusion: an approach to improve remote sensing based mapping techniques, 1929
Saraf, A. K., *see* Gobron, N.
Saraf, A. K., Foster, J. L., Singh, P. and Tarafdar, S.: Passive microwave data for snow-depth and snow-extent estimations in the Himalayan mountains, 83
Sarbaji, M., *see* Jaquet, J.-M.
Sasamal, S. K., *see* Ishizu, M.
Sasamal, S. K.: Sea surface temperature of North Indian Ocean during April 1998, 2485

Sasseville, J. L., *see* Martin, D.
Schiavon, G., *see* Macelloni, G.
Schiller, H. and Doerffer, R.: Neural network for emulation of an inverse model—operational derivation of Case II water properties from MERIS data, 1735
Schmidt, K. and Wauer, J.: Application of the dense medium radiative transfer theory for calculating microwave emissivit ies of different sea ice types, 3165
Schneider, T., Buhk, R. and Ammer, U.: Investigations on synergy and complementarity of multi-spectral and anisotropy information from MOMS-02/D2-Mode 3-data for land use classification in the Sinaloa district of Mexico, 1499
Schneider, W. and Budéus, G.: Estimation of the surface heat budget and the thickness of thin sea-ice in Arctic polynyas with Landsat 5 TM, 3149
Schneider, X., *see* Moulin, C
Schowengerdt, R. A., *see* Smits, P. C.
Schwartz, M. D. and Reed, B. C.: Surface phenology and satellite sensor-derived onset of greenness: an initial comparison, 3451
Semovski, S. V., Dowell, M. D., Hapter, R., Szczucka, J., Beszczyńska-Möller, A. and Darecki, M.: The integration of remotely sensed, seatruth and modelled data in the investigation of mesoscale features in the Baltic coastal phytoplankton field, 1265
Sen, A. K., *see* Karmakar, P. K.
Senwo, Z. N., *see* Laymon, C. A.
Serio, C., *see* Cuomo, V.
Shenoi, S. C., *see* El-Raey, M.
Shenoi, S. C.: On the suitability of global algorithms for the retrieval of SST from the north Indian Ocean using NOAA/AVHRR data, 11
Shimabukuro, Y. E., *see* Aguiar, A. P. D.
Shimabukuro, Y. E., Duarte, V., Mello, E. M. K. and Moreira, J. C.: RGB shade fraction images derived from multitemporal Landsat TM data for studying deforestation in the Brazilian Amazon, 643
Shimoda, H., *see* Cho, K.
Shindle, M., *see* Li, S.
Sidjak, R. W. and Wheate, R. D.: Glacier mapping of the Illecillewaet icefield, British Columbia, Canada, using Landsat TM and digital elevation data, 273
Siegel, H., Gerth, M., Neumann, T. and Doerffer, R.: Case studies on phytoplankton blooms in coastal and open waters of the Baltic Sea using Coastal Zone Color Scanner data, 1249
Siegert, F., *see* Kuntz, S.
Sigismondi, S., *see* Macelloni, G.
Sigrist, P., Coppin, P. and Hermy, M.: Impact of forest canopy on quality and accuracy of GPS measurements, 3595
Simeoni, U., *see* Ciavola, P.
Singh, P., *see* Saraf, A. K.
Singh, R. P., *see* Kumar, S.
Singh, R. P., *see* Srivastava, A.
Singh, V. K.: Discrete wavelet transform based image compression, 3399
Singh, V. K., *see* Bagheri, S.
Skoles, D. L., *see* Kimes, D. S.
Slater, M., *see* Vaughan, R. A.
Slater, M. T., Sloggett, D. R., Rees, W. G. and Steel, A.: Potential operational multi-satellite sensor mapping of snow cover in maritime sub-polar regions, 3019
Sloggett, D. R., *see* Slater, M. T.
Smith, G. M. and Milton, E. J.: Technical note. The use of the empirical line method to calibrate remotely sensed data to reflectance, 2653
Smith, L. C., *see* Alsdorf, D. E.

SMITS, P. C., DELLEPIANE, S. G. and SCHOWENGERDT, R. A.: Quality assessment of image classification algorithms for land-cover mapping: a review and a proposal for a cost-based approach, 1461
SOARES, J. V., *see* Alves, D. S.
SOBIESKI, P. W., CRAEYE, C. and BLIVEN, L. F.: Scatterometric signatures of multivariate drop impacts on fresh and salt water surfaces, 2149
SOH, L.-K. and TSATSOULIS, C.: Unsupervised segmentation of ERS and Radarsat sea ice images using multiresolution peak detection and aggregated population equalization, 3087
SOLIMINI, D., *see* Macelloni, G.
SOMAN, V. V., *see* Laymon, C. A.
SØRENSEN, K., *see* Doerffer, R.
SOUSA, C. L. D., *see* Alves, D. S.
SREENIVAS, K., *see* Dwivedi, R. S.
SRINIVAS, D., *see* Sagar, B. S. D.
SRIVASTAVA, A. and SINGH, R. P.: Surface manifestation over a subsurface ridge, 3461
SRIVASTAVA, A., TRIPATHI, N. K. and GOKHALE, K. V. G. K.: Basement topography and aquifer geometry around Ken Graben, India, 2295
STANDLEY, A. P. and BARRETT, E. C.: The use of coincident DMSP SSM/I and OLS satellite data to improve snow cover detection and discrimination, 285
STEEL, A., *see* Slater, M. T.
STEHMAN, S. V.: Basic probability sampling designs for thematic map accuracy assessment, 2423
STEHMAN, S. V.: Comparing thematic maps based on map value, 2347
STEHMAN, S. V., *see* Franceschetti, G.
STEHMAN, S. V., *see* Herzfeld, U. C.
STEINMAUS, K., *see* Warner, T. A.
STEIN, A., *see* Addink, E. A.
STEPHENS, J. A., *see* Uncles, R. J.
STEYN-ROSS, D. A., *see* Steyn-Ross, M. L.
STEYN-ROSS, M. L., STEYN-ROSS, D. A. and KELENAK, A.: Comparison of atmospheric correction algorithms for deriving sea surface temperature from AVHRR, 3515
STOW, D. A., *see* Hope, A. S.
STOW, D. A., *see* Hope, A. S.
STOW, D. A., *see* Ishizu, M.
STOW, D. A., *see* Mcmichael, C. E.
STOW, D. A.: Reducing the effects of misregistration on pixel-level change detection, 2477
STOW, R., *see* Wright, P.
STRAHLER, A. H., *see* Borak, J. S.
STROZZI, T., WEGMÜLLER, U. and MÄTZLER, C.: Mapping wet snowcovers with SAR interferometry, 2395
STURM, B., *see* Hoepffner, N.
STURM, B., BARALE, V., LARKIN, D., ANDERSEN, J. H. and TURNER, M.: *OCEANcode: the complete set of algorithms and models for the level_2 processing of European CZCS historical data, 1219*
SULLIVAN, J., *see* Dierking, W.
SULLIVAN, J.: New radiance-based method for AVHRR thermal channel nonlinearity corrections, 3493
SZCZUCKA, J., *see* Semovski, S. V.

TAN, Z. J., *see* Yang, H.
TARAFDAR, S., *see* Saraf, A. K.
TASSAN, S., *see* Jaquet, J.-M.
TENA, F., *see* Martínez-Lozano, J. A.

Tesauro, M., *see* Franceschetti, G.
Tesauro, M., *see* Sansosti, E.
Tessari, U., *see* Ciavola, P.
Thenkabail, P. S.: Characterization of the alternative to slash-and-burn benchmark research area representing the Congolese rainforests of Africa using near-real-time SPOT HRV data, 839
Thenkabail, P. S., *see* Saraf, A. K.
Thomson, K. P. B., *see* Raucoules, D.
Thomson, M. C., *see* Cresswell, M. P.
Toan, T. L., *see* Ribbes, F.
Toutoubalina, O. V. and Rees, W. G.: Remote sensing of industrial impact on Arctic vegetation around Noril'sk, northern Siberia: preliminary results, 2979
Tramutoli, V., *see* Cuomo, V.
Trichon, V., Ducrot, D. and Gastellu-Etchegorry, J. P.: SPOT4 potential for the monitoring of tropical vegetation. A case study in Sumatra, 2761
Tripathi, N. K., *see* Srivastava, A.
Tsatsoulis, C., *see* Soh, L.-K.
Tsegaye, T. D., *see* Laymon, C. A.
Tso, B. and Mather, P. M.: Crop discrimination using multi-temporal SAR imagery, 2443
Turner, M., *see* Sturm, B.

Um, J.-S. and Wright, R.: Video strip mosaicking: a two-dimensional approach by convergent image bridging, 2015
Uncles, R. J., Morris, K. P., Stephens, J. A., Robinson, M.-C. and Murphy, R. J.: Aircraft and sea-truth observations of salinity and temperature within the Tweed Estuary and coastal-zone frontal system, 609
Utrillas, M. P., *see* Martínez-Lozano, J. A.

Valeur, H. H., *see* Gill, R. S.
Vasilkov, A. P., Burenkov, V. I. and Ruddick, K. G.: The spectral reflectance and transparency of river plume waters, 2497
Vaughan, R. A., *see* Brown, I. A.
Vaughan, R. A., Cuthbert, I. and Slater, M.: Cover, 2689
Vazquez-Cuervo, J., *see* Garcia-Gorriz, E.
Vekerdy, Z., *see* Prakash, A.
Verbyla, D. L., *see* Boles, S. H.
Verdin, J., Funk, C., Klaver, R. and Roberts, D.: Exploring the correlation between Southern Africa NDVI and Pacific sea surface temper atures: results for the 1998 maize growing season, 2117
Verstraete, M., *see* Gobron, N.
Verstraete, M. M. and Pinty, B.: MERIS potential for land applications, 1747
Verstraete, M. M., *see* Govaerts, Y. M.
Viola, A., *see* Hennings, I.
Volpe, F., *see* Ricotta, C.
Vourlitis, G., *see* McMichael, C. E.
Vuorela, A., *see* Käyhkö, J.

Wahl, T., *see* Espedal, H. A.
Wald, L. and Baleynaud, J.-M.: Observing air quality over the city of Nantes by means of Landsat thermal infrared data, 947
Wald, L., *see* Bardey, P.

WALKER, D. A.: An integrated vegetation mapping approach for northern Alaska (1:4 M scale), 2895
WALKER, D. A., *see* Muller, S. V.
WALKER, D. A., *see* Prakash, A.
WALTER, F., *see* Fransson, J. E. S.
WANG, D. X., *see* Gong, P.
WANG, S., *see* Li, W.
WARD, B. and REDFERN, S.: A neural network model for predicting the bulk–skin temperature difference at the sea surface, 3533
WARNER, T. A., STEINMAUS, K. and FOOTE, H.: An evaluation of spatial autocorrelation feature selection, 1601
WARRENDER, C. E. and AUGUSTEIJN, M. F.: Fusion of image classifications using Bayesian techniques with Markov random fields, 1987
WAUER, J., *see* Schmidt, K.
WEFER, G., *see* Davenport, R.
WEGMÜLLER, U., *see* Strozzi, T.
WENDLER, G., *see* Lythe, M.
WENDLING, P., *see* Mannstein, H.
WEST, J. C.: Electromagnetic scattering from finite conductivity wind-roughened water surfaces, 3445
WEST, J. C., *see* Boles, S. H.
WEST, N. E., *see* Bork, E. W.
WEWETZER, S. F. K., DUCK, R. W. and MCMANUS, J.: Side-scan sonar mapping of bedforms in the middle Tay Estuary, Scotland, 511
WHEATE, R. D., *see* Sidjak, R. W.
WILLIAMS, R. N., REES, W. G. and YOUNG, N. W.: A technique for the identification and analysis of icebergs in synthetic aperture radar images of Antarctica, 3183
WILLIS, I. C., *see* Knap, W. H.
WINTHER, J-G. and HALL, D. K.: Satellite-derived snow coverage related to hydropower production in Norway: present and future, 2991
WORSLEY, P., *see* Käyhkö, J.
WRIGHT, P. and STOW, R.: Detecting mining subsidence from space, 1183
WRIGHT, R., *see* Um, J.-S.
WRIGHT, R., *see* Harris, A. J. L.
WU, J. Y., *see* Lin, W-S.

XU, P.: Despeckling SAR-type multiplicative noise, 2577
XU, P., *see* Holden, H.

YACKEL, J., *see* Barber, D. G.
YAMAGUCHI, F., *see* Alves, D. S.
YAMAKAWA, T., *see* Almeida-Filho, R.
YANG, H., MEER, F. V. D., BAKKER, W. and TAN, Z. J.: A back-propagation neural network for mineralogical mapping from AVIRIS data, 97
YANG, H., ZHANG, J., MEER, F. V. D. and KROONENBERG, S. B.: Spectral characteristics of wheat associated with hydrocarbon microseepages, 807
YANG, X., DAMEN, M. C. J. and ZUIDAM, R. A. V.: Use of Thematic Mapper imagery with a geographic information system for geomorphol ogic mapping in a large deltaic lowland environment, 659
YEO, T. S., *see* Ye, W.
YE, W., YEO, T. S., ZHANG, C. B. and LU, Y. H.: Correction of geometric distortion in spotlight synthetic aperture radar imagery, 979
YOUNG, N. W., *see* Williams, R. N.

Zakir, F. A., Qari, M. H. T. and Mostafa, M. E.: Technical note. A new optimizing technique for preparing lineament density maps, 1073
Zandonella, A., *see* Alberotanza, L.
Zed, A. I. A., *see* El-Raey, M.
Zetlin, C., *see* Bagheri, S.
Zhang, C. B., *see* Ye, W.
Zhang, J., *see* Yang, H.
Zhang, N., *see* Jin, Y-Q.
Zhang, Y.: A new merging method and its spectral and spatial effects, 2003
Zhang, Y., *see* Warrender, C. E.
Ziou, D., *see* Li, W.
Zuidam, R. A. V., *see* Yang, X.